

# DCS AV-8BNA

## Pilot's Handbook



Volume 2, December 15, 2017

© Col. Clark "GRUNT" Half

<http://www.shreksquadron.org>

## Pre-Startup (pre-release)

- Battery switch ON
- Display Brightness dial ON
- COMM 1 Volume dial ON
- Radio request Ground Power ON
- Wait for Ground Power Confirm
- Internal lights AS DESIRED
- External lights main switch ON
- Position lights switch ON

## Startup (pre-release)

- Radio dial CHANNEL/SET GROUND
- Radio request startup
- Throttle check IDLE
- Fuel Shutoff Lever DOWN (OFF)
- DECS switch ON
- Fuel Portioner switch ON
- Fuel Pump L/R switch ON
- Anti-Collision light switch ON

- Generator switch ON
- Nozzle set 10°
- Engine Start switch ON
- Check RPM 092
- Throttle IDLE UNLOCK
- Check RPM 285
- Radio request Ground Power OFF
- Wait for Ground Power OFF Confirm
- Cockpit CLOSE
- SAS YAW/ROLL/PITCH switch ON
- Q-Feel switch ON
- RPS switch ON
- Antiskip switch ON
- Flaps switch CRUISE
- Flaps switch ON
- Left MPCD switch ON
- HUD BRT switch ON
- HUD Video BRT switch ON
- HUD Video contrast switch ON
- HUD altitude selector set RADAR
- Right MPCD switch ON
- NAV mode switch on

## Taxi (pre-release)

- Radio request TAXI
- Ext light AUX/Taxi switch ON

## After Takeoff (pre-release)

- EXT light aux switch OFF
- Gear RETRACT
- Flaps set CRUISE

## Fence-In (pre-release)

- Anti-Collision lights switch OFF
- Position lights switch OFF
- Formation lights dim AS DESIRED
- RWR switch ON
- DECS Pod: ECM STBY
- Left MPCD: set STO
- Right MPCD: set ECM
- AGM-122/AIM-9: IR cool switch ON
- AGM-64D: IRMV activate